### SUBSTANCE ABUSE TREATMENT FACT SHEET

# Massachusetts Department of Public Health, Bureau of Substance Abuse Services February, 2002

This fact sheet contains information about the impact of alcohol and other drug use in the Second Bristol Senatorial District. Admission data were reported to the Bureau of Substance Abuse Services (BSAS) Substance Abuse Management Information System in FY 2001.

# **Residents of Second Bristol Senatorial District**

#### **Treatment Admissions:**

In FY 2001, there were 120,687 admissions to licensed substance abuse treatment services in all of Massachusetts. Of these, 2.6% (3,095) reside in the Second Bristol Senatorial District. Due to budget cuts in FY 2002, BSAS estimates that 19% (588) of Second Bristol Senatorial District residents will not be able to access treatment services. Please note that these statistics represent only individual admissions, and represent a figure lower than the actual number of constituents in need of treatment services.

- In FY 2001, 70.3% of admissions from the Second Bristol Senatorial District were male and 29.7% were female.
- Over 66.8% of admissions were between the ages of 30-49.
- 71.5% of admissions were white non-Latino, 9.9% were black non-Latino, 10.7% were Latino, 0.23% were Asians, and 7.6% were other racial categories.
- 60.7% of those admitted to treatment were never married, 12.7% were married, and 15.6% reported not to be married now.
- 40.5% of admissions had less than high school education, 44.2% completed high school, and 15.3% had more than high school education.
- 20.8% of those admitted to treatment were employed.
- 13.2% of those admitted were homeless.
- 11.9% of admissions had prior mental health treatment.

#### **Substances Used in Past Year:**

Upon entering treatment, each client is asked to report ALL substances used in the past year (12 months) prior to admission. Admissions frequently report using more than one substance within the year. The use of more than one psychoactive substance, such as alcohol and marijuana, is referred to as 'polydrug' or 'polysubstance' use. For example, individuals who use cocaine, crack and heroin also may report the use of either alcohol and/or marijuana.


• Table 1 shows ALL substances which clients reported using in the year prior to admission, including the prevalence of injection drug use (IDU) in the Second Bristol Senatorial District. Injection drug users (or IDU's) are individuals who use a needle to ingest cocaine, crack, heroin or another drug to get high.

Table 1 Annual Admissions by Substance Used FY 1995 – FY 2001										
Second Bristol Senatorial District										
	Total	Alcohol	Marijuana	Cocaine	Crack	Heroin	IDU			
FY '95	2,190	1,739	810	1,065	265	961	662			
FY '96	2,368	1,840	997	1,132	304	1,072	779			
FY '97	2,749	1,989	1,076	1,175	230	1,391	1,023			
FY '98	3,234	2,084	1,011	1,224	290	1,963	1,509			
FY '99	3,140	2,234	1,087	1,304	338	1,728	1,317			
FY '00	3,546	2,516	1,194	1,560	534	2,002	1,450			
FY '01	3,095	2,028	917	1,230	391	1,712	1,234			

• Between FY 1995 and FY 2001, admissions reporting alcohol, marijuana, cocaine, and crack use have remained fairly steady, while heroin use has increased by 78%.

## **Heroin and Injection Drug Use:**

Figure 1 below shows the proportional increases in all admissions in the Second Bristol Senatorial District and the proportional increase in admissions reporting heroin and injection drug use, a factor driving increases in HIV<sup>1</sup>.



• Total treatment admission for all modalities rose 41% between FY 1995 and FY 2001. During the same period, admissions for heroin and injection drug use treatment increased 82%.

#### **Primary Substance of Use:**

At admission clients also identify a "primary drug" of use which is the substance currently causing them the most problems.

• Table 2 compares the proportional distribution of primary drugs in Massachusetts with that for the Second Bristol Senatorial District.

Table 2 Primary Drug by District and State FY 2001									
	Alcohol	Heroin	Marijuana	Cocaine	Crack				
District	35.9%	49.1%	3.3%	5.4%	1.9%				
State	46.5%	35.9%	6.5%	3.9%	3.4%				

• While alcohol, marijuana, and crack as a primary drug of use in your Senatorial District was lower than the State average, heroin and cocaine as a primary drug was higher within your District.

\_

<sup>&</sup>lt;sup>1</sup> The Schneider Institute for Health Policy, Brandeis University, 2000